



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/234,485	01/21/1999	SHUJI OTSUKA	102624	6019

25944 7590 07/14/2004

OLIFF & BERRIDGE, PLC
P.O. BOX 19928
ALEXANDRIA, VA 22320

EXAMINER

POKRZYWA, JOSEPH R

ART UNIT	PAPER NUMBER
----------	--------------

2622

DATE MAILED: 07/14/2004

25

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/234,485

Applicant(s)

OTSUKA ET AL.

Examiner

Joseph R. Pokrzywa

Art Unit

2622

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 April 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,5,7-13 and 18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,5,7-13 and 18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. Applicant's amendment was received on 4/29/04, and has been entered and made of record. Currently, **claims 1-3,5,7-13, and 18** are pending.

Response to Arguments

2. Applicant's arguments filed 4/29/04 have been fully considered but they are not persuasive.

In response to applicant's arguments regarding the rejection of claim 1, which was cited as being anticipated by Ryan (U.S. Patent Number 6,559,979), whereby on page 8 the applicant argues that Ryan fails to teach of the computer-side referring means for fetching data of addressee identification information from the computer-side storage means. Ryan teaches of a computer-side referring means provided at the computer side, being interpreted as the CPU 501. The CPU 501 fetches data of addressee identification information from the computer-side storage means, interpreted as the NVRAM 505, as read in column 6, lines 18 through 24, and in column 3, lines 49 through 65, which states that the "table is stored in the NVRAM 505 of the personal computer 50, and it can be read out by using the function key 144 on the operation panel." Thus, one of ordinary skill in the art can recognize that Ryan teaches of computer-side referring means for fetching data of addressee identification information from the computer-side storage means.

Continuing, applicant argues on page 8 that Ryan fails to teach of the computer side output means for outputting fetched data of addressee identification information to the facsimile machine in case of facsimile transmission so that the facsimile transmission is executed according to a desired piece of addressee identification information selected from the fetched data of addressee identification information. As read in column 3, line 60 through column 4, line 44, column 5, lines 4 through 22, Ryan teaches that a FAX function is carried out depending on the function stored in the NVRAM 505. Further, the interface 508 of the computer outputs the data from the NVRAM 505 (seen in Fig. 6) to the facsimile machine 10, depending on the ID number entered (either ID numbers #1 or #4). Thus, one of ordinary skill in the art can recognize that Ryan teaches of a computer side output means for outputting fetched data of addressee identification information to the facsimile machine in case of facsimile transmission so that the facsimile transmission is executed according to a desired piece of addressee identification information selected from the fetched data of addressee identification information.

In response to applicant's arguments on page 8 that state that Ryan fails to teach of instruction means, provided in the facsimile machine side refers, via the computer-side referring means, to the data of addressee identification information stored in the computer-side storage means in case of facsimile transmission. Ryan teaches that an instruction means (operation panel 14, with ten-key set 141, see Figs. 1, 3, and 5) is provided in the facsimile machine so as to instruct the computer at the facsimile machine side, which is interpreted as the CPU 151 of the facsimile machine 10, to refer via the computer-side referring means to the data of addressee identification information stored in the computer-side storage means in case of facsimile transmission, as read in column 3, lines 58 through 65, and column 6, lines 18 through 45.

Art Unit: 2622

Further, applicant argues on page 8 that Ryan fails to teach of display means for displaying the data of addressee identification information fetched by the computer-side referring means in case of facsimile transmission so that the desired piece of addressee identification information is selected at the facsimile machine side. Ryan teaches of displaying the data of addressee identification information on the display 507 of the computer 50, as read in column 5, lines 49 through 58, and seen in Fig. 8. This displayed ID numbers are fetched by the computer-side referring means in case of facsimile transmission so that the desired piece of addressee identification information is selected at the facsimile machine side, as read in column 3, lines 58 through 65, and column 5, line 49 through column 6, line 45. Thus, one of ordinary skill in the art can recognize that Ryan teaches these limitations.

Continuing, the applicant argues on page 9 that Ryan fails to teach of any devices to enable an operator to retrieve information from the computer to the facsimile machine, or to register the information. The examiner notes that these limitations are not found in either of independent claims 1 or 18. However, Ryan can be interpreted as disclosing addressee information stored in the computer side to be used in the facsimile machine, as read in column 3, lines 58 through 65, and column 5, line 49 through column 6, line 45. Because of this, the claims, as currently worded, can be interpreted as being anticipated by Ryan.

3. Therefore, the rejection of independent **claim 1**, as well as independent **claim 18**, as cited in the Office action dated 1/29/04 under 35 U.S.C.102(e) as being anticipated by Ryan, is maintained and repeated in this Office action. Further, for the same reasons discussed above, the rejection of dependent **claims 2, 3, 5, and 7-13**, as cited in the Office action dated 1/29/04 under

Art Unit: 2622

35 U.S.C.102(e) as being anticipated by Ryan, is also maintained and repeated in this Office action.

Claim Rejections - 35 USC § 102

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

5. **Claims 1-3, 5, 7-13, and 18** are rejected under 35 U.S.C. 102(e) as being anticipated by Ryan (U.S. Patent Number 6,559,979, cited in the Office action dated 1/29/04).

Regarding **claim 1**, Ryan discloses a facsimile system (see Figs. 4 and 5) comprising a facsimile machine reading image data from an original (scanner 105 in facsimile 10, see Figs. 1, 4 and 5), a computer transmitting to and receiving from the facsimile machine data of addressee identification information (see Fig. 6) indicative of at least a name of addressee and a facsimile number corresponding to the name of addressee (column 3, line 58 through column 4, line 17), computer-side storage means provided at a computer side (personal computer 50) for storing the data of addressee identification information (NVRAM 505, column 3, lines 58 through 65), computer-side referring means provided at the computer side for fetching the data of addressee identification information from the computer-side storage means (column 5, lines 23 through 48), computer-side output means for outputting the fetched data of addressee identification information to the facsimile machine in case of facsimile transmission so that the facsimile transmission is executed according to a desired piece of addressee identification information selected from the fetched data of addressee identification information (column 5, lines 49 through 58, and column 6, lines 18 through 39, being step P19 in Fig. 7), instruction means

Art Unit: 2622

provided in the facsimile machine so as to instruct the computer at the facsimile machine side to refer via the computer-side referring means to the data of addressee identification information stored in the computer-side storage means in case of facsimile transmission (operation panel 14, with ten-key set 141, see Figs. 1, 3, and 5), and a display means for displaying the data of addressee identification information fetched by the computer-side referring means in case of facsimile transmission so that the desired piece of addressee identification information is selected at the facsimile machine side (see Fig. 8).

Regarding *claim 2*, Ryan discloses the system discussed above in claim 1, and further teaches that the facsimile machine (facsimile machine 10, seen in Fig. 5) includes facsimile-side input means provided so that the data of addressee identification information output is received in the facsimile machine (column 6, lines 25 through 45) and facsimile-side storage means (NVRAM 153) for storing the data of addressee identification information supplied to the facsimile-side input means (column 6, lines 29 through 39).

Regarding *claim 3*, Ryan discloses the system discussed above in claim 2, and further teaches that the facsimile machine (facsimile machine 10, seen in Fig. 5) includes means for registering the data of addressee identification information in the facsimile-side storage means (column 3, lines 5 through 38, and column 6, lines 29 through 39) and facsimile-side output means for outputting the data of addressee identification information registered in the facsimile-side storage means by the facsimile-side registering means (column 5, lines 37 through 58), the computer (personal computer 50) includes computer-side input means for receiving the data of addressee identification information output from the facsimile-side storage means by the facsimile-side output means (column 5, lines 46 through 52), and the computer-side storage

Art Unit: 2622

means stores the data of addressee identification information received by the computer-side input means (column 5, line 46 through column 6, line 24).

Regarding *claim 5*, Ryan discloses the system discussed above in claim 2, and further teaches that the facsimile machine (facsimile machine 10) includes a means for inputting information about the name of addressee contained in the data of addressee identification information and instructing to retrieve the data of addressee identification information corresponding to the input information (column 3, lines 5 through 17, and column 6, lines 40 through 49), the computer-side referring means retrieves the data of addressee identification information stored in the computer-side storage means based on instruction delivered by the retrieval instructing means (column 5, line 23 through column 6, line 24), thereby extracting the corresponding data of addressee identification information (column 5, lines 49 through 64), the computer-side output means outputs to the facsimile machine results of extraction by the computer-side referring means (column 6, lines 6 through 28), and the display means includes facsimile-side display means provided at the facsimile side for displaying the results of extraction output by the computer-side output means to thereby be received by the facsimile-side input means (LCD indicator 147, column 3, lines 5 through 17).

Regarding *claim 7*, Ryan discloses the system discussed above in claim 5, and further teaches that the display means includes computer-side display means provided at the computer side (display 507) for displaying results of extraction an amount of which is larger than one of the results of extraction displayed by the facsimile-side display means (see Figs. 3 and 8, column 3, lines 14 through 17, and column 5, lines 49 through 64).

Regarding **claim 8**, Ryan discloses the system discussed above in claim 2, and further teaches that the facsimile machine (facsimile machine 10) includes means for selecting the data of addressee identification information stored in the facsimile-side storage means (column 3, lines 5 through 17) and at least one of the data of addressee identification information stored in the computer-side storage means (column 3, line 58 through column 4, line 64), with the one of the data being the one referred to by the computer-side referring means (column 5, lines 37 through 64), and transmission means for transmitting image data to an addressee indicated by the data of addressee identification information selected by the selecting means either via a communication channel by way of an internet or via a public communication network not by way of the internet (column 3, lines 18 through 25, and column 4, lines 1 through 64).

Regarding **claim 9**, Ryan discloses the system discussed above in claim 8, and further teaches that each of the facsimile-side storage means (NVRAM 153) and the computer-side storage means (NVRAM 505) is capable of storing data of a mail address specifying an addressee of an electronic mail (column 4, lines 12 through 18) as the data of addressee identification information (column 6, lines 18 through 39), and the transmission means transmits image data to an addressee specified by the mail address via the communication channel by way of the internet when the data of addressee identification information is the mail address (column 3, lines 39 through 48, and column 4, lines 12 through 64, wherein an e-mail message is sent to an e-mail address, shown in Fig. 6, over the public communication network 80, which inherently includes the internet).

Regarding **claim 10**, Ryan discloses the system discussed above in claim 1, and further teaches that the facsimile machine (facsimile machine 10) is capable of executing facsimile

Art Unit: 2622

transmission via an internet to an addressee (column 3, lines 39 through 48, and column 4, lines 12 through 64, wherein an e-mail message is sent to an e-mail address, shown in Fig. 6, over the public communication network 80, which inherently includes the internet), and the facsimile machine includes reading means for reading data of address information registered on the basis of an electronic mail application program which is already in operation (column 4, lines 12 through 17, and column 5, lines 23 through 48) and designating means for designating the data of address information read by the reading means as data of address information for the facsimile transmission via the internet (column 3, lines 39 through 48, and column 4, lines 12 through 64, whereby the public communication network 80 inherently includes the internet).

Regarding **claim 11**, Ryan discloses the system discussed above in claim 10, and further teaches that the facsimile machine includes address information storage means (NVRAM 153) for storing the data of address information designated by the designating means as an addressee address for the facsimile transmission via the internet (see Fig. 6, column 4, lines 12 through 17, and column 6, lines 29 through 39) and address selecting means for selecting a desired address from the address information storage means (column 4, lines 21 through 64).

Regarding **claim 12**, Ryan discloses the system discussed above in claim 10, and further teaches that the electronic mail application program is in operation on the computer of the system or a computer other than the computer of the system (column 5, line 30 through column 6, line 39).

Regarding **claim 13**, Ryan discloses the system discussed above in claim 11, and further teaches that the electronic mail application program is in operation on the computer of the

Art Unit: 2622

system or a computer other than the computer of the system (column 5, line 30 through column 6, line 39).

Regarding *claim 18*, Ryan discloses a facsimile system (see Figs. 4 and 5) comprising a facsimile machine reading image data from an original (scanner 105 in facsimile 10, see Figs. 1, 4 and 5), a computer transmitting to and receiving from the facsimile machine data of addressee identification information (see Fig. 6) indicative of at least a name of addressee and a facsimile number corresponding to the name of addressee (column 3, line 58 through column 4, line 17), a computer-side storage circuit provided at a computer side (personal computer 50) for storing the data of addressee identification information (NVRAM 505, column 3, lines 58 through 65), a computer-side referring circuit provided at the computer side for fetching the data of addressee identification information from the computer-side storage circuit (column 5, lines 23 through 48), computer-side output circuit for outputting the fetched data of addressee identification information to the facsimile machine in case of facsimile transmission so that the facsimile transmission is executed according to a desired piece of addressee identification information selected from the fetched data of addressee identification information (column 5, lines 49 through 58, and column 6, lines 18 through 39, being step P19 in Fig. 7), an instruction circuit provided in the facsimile machine so as to instruct the computer at the facsimile machine side to refer via the computer-side referring circuit to the data of addressee identification information stored in the computer-side storage circuit in case of facsimile transmission (operation panel 14, with ten-key set 141, see Figs. 1, 3, and 5), and a display means for displaying the data of addressee identification information fetched by the computer-side referring circuit in case of

Art Unit: 2622

facsimile transmission so that the desired piece of addressee identification information is selected at the facsimile machine side (see Fig. 8).

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joe Pokrzywa whose telephone number is (703) 305-0146. The examiner can normally be reached on Monday-Friday, 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on (703) 305-4712. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.


Art Unit: 2622

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Joseph R. Pokrzywa
Examiner
Art Unit 2622

jrp



EDWARD COLES
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2612